


Spring Pins (Rolled Pins)

Pernos ranurado

Goupilles élastiques exécution lourdes

A2
A4



d	1	1.5	2	2.5	3	3.5	4	4.5	5	6	8	10
a	0.15	0.25	0.35	0.4	0.5	0.6	0.65	0.8	0.9	1.2	2	2
d ₁ min.	1.2	1.7	2.3	2.8	3.3	3.8	4.4	4.9	5.4	6.4	8.5	10.5
d ₂	0.8	1.1	1.5	1.8	2.1	2.3	2.8	2.9	3.4	3.9	5.5	6.5
s	0.2	0.3	0.4	0.5	0.6	0.75	0.8	1	1	1.25	1.5	2

d	L	W
1	4	.015
1	5	.019
1	6	.023
1	8	.031
1	10	.038
1	12	.045
1	14	.052
1	16	.059
1	18	.067
1	20	.076
1.5	4	.034
1.5	5	.043
1.5	6	.051
1.5	8	.068
1.5	10	.085
1.5	12	.103
1.5	14	.120
1.5	16	.137
1.5	18	.154
1.5	20	.171
2	4	.061
2	5	.077
2	6	.092
2	8	.122
2	10	.153

d	L	W
2	12	.184
2	14	.214
2	16	.244
2	18	.275
2	20	.305
2	22	.336
2	24	.367
2	26	.397
2	28	.427
2	30	.458
2.5	4	.095
2.5	5	.118
2.5	6	.142
2.5	8	.189
2.5	10	.236
2.5	12	.283
2.5	14	.330
2.5	16	.377
2.5	18	.424
2.5	20	.471
2.5	22	.519
2.5	24	.565
2.5	26	.613
2.5	28	.660
2.5	30	.707

d	L	W
3	4	.136
3	5	.170
3	6	.204
3	8	.272
3	10	.340
3	12	.407
3	14	.475
3	16	.543
3	18	.611
3	20	.679
3	22	.746
3	24	.814
3	26	.882
3	28	.950
3	30	1.02
3	32	1.09
3	36	1.22
3	40	1.36
3.5	4	.197
3.5	5	.246
3.5	6	.296
3.5	8	.394
3.5	10	.493
3.5	12	.591
3.5	14	.689

d	L	W
3.5	16	.788
3.5	18	.886
3.5	20	.985
3.5	22	1.08
3.5	24	1.18
3.5	26	1.28
3.5	28	1.38
3.5	30	1.48
3.5	32	1.58
3.5	36	1.77
3.5	40	1.97
4	4	.239
4	5	.299
4	6	.358
4	8	.478
4	10	.597
4	12	.716
4	14	.836
4	16	.955
4	18	1.07
4	20	1.19
4	22	1.31
4	24	1.43
4	26	1.55
4	28	1.67

d	L	W
4	30	1.79
4	32	1.91
4	36	2.18
4	40	2.39
4	45	2.68
4	50	2.98
4.5	6	.476
4.5	8	.635
4.5	10	.793
4.5	12	.952
4.5	14	1.11
4.5	16	1.27
4.5	18	1.43
4.5	20	1.59
4.5	22	1.75
4.5	24	1.90
4.5	26	2.06
4.5	28	2.22
4.5	30	2.38
4.5	32	2.54
4.5	36	2.86
4.5	40	3.17
4.5	45	3.57
4.5	50	3.96
5	6	.566


(W ~ Weights of standard sizes in kilograms per 1000 pieces)

Spring Pins (Rolled Pins)

A2

Pernos ranurado

Goupilles élastiques exécution lourdes



d	1	1.5	2	2.5	3	3.5	4	4.5	5	6	8	10
a	0.15	0.25	0.35	0.4	0.5	0.6	0.65	0.8	0.9	1.2	2	2
d1 min.	1.2	1.7	2.3	2.8	3.3	3.8	4.4	4.9	5.4	6.4	8.5	10.5
d2	0.8	1.1	1.5	1.8	2.1	2.3	2.8	2.9	3.4	3.9	5.5	6.5
s	0.2	0.3	0.4	0.5	0.6	0.75	0.8	1	1	1.25	1.5	2

d	L	W
5	8	.754
5	10	.942
5	12	1.13
5	14	1.32
5	16	1.51
5	18	1.70
5	20	1.88
5	22	2.07
5	24	2.26
5	26	2.45
5	28	2.64
5	30	2.83
5	32	3.02
5	36	3.39
5	40	3.77
5	45	4.24
5	50	4.71
5	55	5.18
5	60	5.65
5	65	6.12
5	70	6.59
6	10	1.38
6	12	1.66
6	14	1.94
6	16	2.21

d	L	W
6	18	2.49
6	20	2.77
6	22	3.04
6	24	3.32
6	26	3.60
6	28	3.87
6	30	4.15
6	32	4.43
6	36	4.98
6	40	5.54
6	45	6.23
6	50	6.92
6	55	7.61
6	60	8.30
6	65	8.99
6	70	9.69
6	75	10.4
6	80	11.1
8	10	2.24
8	12	2.66
8	14	3.13
8	16	3.58
8	18	4.03
8	20	4.48
8	22	4.92

d	L	W
8	24	5.37
8	26	5.82
8	28	6.26
8	30	6.71
8	32	7.16
8	36	8.06
8	40	8.95
8	45	10.1
8	50	11.2
8	55	12.3
8	60	13.4
8	65	14.5
8	70	15.7
8	75	16.8
8	80	18.0
8	85	19.0
8	90	20.1
8	95	21.3
8	100	22.4
10	10	3.69
10	12	4.43
10	14	5.17
10	16	5.90
10	18	6.64
10	20	7.38

d	L	W
10	22	8.12
10	24	8.86
10	26	9.59
10	28	10.3
10	30	11.1
10	32	11.8
10	36	13.3
10	40	14.8
10	45	16.6
10	50	18.4
10	55	20.3
10	60	22.1
10	65	24.0
10	70	25.8
10	75	27.7
10	80	29.5
10	85	31.4
10	90	33.2
10	95	35.0
10	100	36.9

(W ~ Weights of standard sizes in kilograms per 1000 pieces)