


Phillips Cross Recessed Oval Head Tapping Screws

Pija cabeza oval de estrella

Vis à tôle à tête fraisée bombée avec empreinte cruciforme

| |
|----|
| A2 |
| A4 |



| d | 2.2 | 2.9 | 3.5 | 3.9 | 4.2 | 4.8 | 5.5 | 6.3 |
|----------------|-----|-----|-----|-----|-----|-----|------|------|
| d (U.S. equiv) | #2 | #4 | #6 | #7 | #8 | #10 | #12 | 1/4 |
| d ₂ | 4.3 | 5.5 | 6.8 | 7.5 | 8.1 | 9.5 | 10.8 | 12.4 |
| f | 0.7 | 0.9 | 1.2 | 1.3 | 1.4 | 1.5 | 1.7 | 2 |
| k | 1.3 | 1.7 | 2.1 | 2.3 | 2.5 | 3 | 3.4 | 3.8 |
| m | 2.8 | 3.4 | 4.6 | 4.7 | 4.9 | 5.4 | 7 | 7.4 |

| d | L | W |
|-----|-----|------|
| 2.2 | 6.5 | .180 |
| 2.2 | 9.5 | .240 |
| 2.2 | 13 | .310 |
| 2.2 | 16 | .370 |
| 2.2 | 19 | .430 |
| 2.2 | 22 | .490 |
| 2.2 | 25 | .550 |
| 2.9 | 6.5 | .330 |
| 2.9 | 9.5 | .440 |
| 2.9 | 13 | .570 |
| 2.9 | 16 | .670 |
| 2.9 | 19 | .780 |
| 2.9 | 22 | .890 |
| 2.9 | 25 | 1.00 |
| 3.5 | 9.5 | .720 |
| 3.5 | 13 | .900 |
| 3.5 | 16 | 1.05 |
| 3.5 | 19 | 1.20 |
| 3.5 | 22 | 1.35 |
| 3.5 | 25 | 1.50 |
| 3.5 | 32 | 1.85 |
| 3.5 | 38 | 2.15 |
| 3.5 | 45 | 2.50 |
| 3.5 | 50 | 2.75 |
| 3.9 | 9.5 | .890 |
| 3.9 | 13 | 1.11 |

| d | L | W |
|-----|-----|------|
| 3.9 | 16 | 1.30 |
| 3.9 | 19 | 1.49 |
| 3.9 | 22 | 1.68 |
| 3.9 | 25 | 1.87 |
| 3.9 | 32 | 2.31 |
| 3.9 | 38 | 2.69 |
| 3.9 | 45 | 3.14 |
| 3.9 | 50 | 3.45 |
| 3.9 | 60 | 4.09 |
| 4.2 | 9.5 | 1.07 |
| 4.2 | 13 | 1.32 |
| 4.2 | 16 | 1.53 |
| 4.2 | 19 | 1.74 |
| 4.2 | 22 | 1.95 |
| 4.2 | 25 | 2.16 |
| 4.2 | 32 | 2.65 |
| 4.2 | 38 | 3.07 |
| 4.2 | 45 | 3.56 |
| 4.2 | 50 | 3.91 |
| 4.2 | 60 | 4.61 |
| 4.2 | 70 | 5.31 |
| 4.2 | 80 | 6.01 |
| 4.2 | 90 | 6.71 |
| 4.2 | 100 | 7.41 |
| 4.8 | 9.5 | 1.53 |
| 4.8 | 13 | 1.88 |

| d | L | W |
|-----|-----|------|
| 4.8 | 16 | 2.18 |
| 4.8 | 19 | 2.48 |
| 4.8 | 22 | 2.78 |
| 4.8 | 25 | 3.08 |
| 4.8 | 32 | 3.78 |
| 4.8 | 38 | 4.38 |
| 4.8 | 45 | 5.08 |
| 4.8 | 50 | 5.58 |
| 4.8 | 60 | 6.58 |
| 4.8 | 70 | 7.58 |
| 4.8 | 80 | 8.58 |
| 4.8 | 90 | 9.58 |
| 4.8 | 100 | 10.6 |
| 5.5 | 13 | 2.64 |
| 5.5 | 16 | 3.12 |
| 5.5 | 19 | 3.50 |
| 5.5 | 22 | 3.89 |
| 5.5 | 25 | 4.28 |
| 5.5 | 32 | 5.19 |
| 5.5 | 38 | 5.97 |
| 5.5 | 45 | 6.88 |
| 5.5 | 50 | 7.53 |
| 5.5 | 60 | 8.83 |
| 5.5 | 70 | 10.1 |
| 5.5 | 80 | 11.4 |
| 5.5 | 90 | 12.7 |

| d | L | W |
|-----|-----|------|
| 5.5 | 100 | 14.0 |
| 6.3 | 13 | 3.46 |
| 6.3 | 16 | 4.00 |
| 6.3 | 19 | 4.54 |
| 6.3 | 22 | 5.08 |
| 6.3 | 25 | 5.62 |
| 6.3 | 32 | 6.88 |
| 6.3 | 38 | 7.96 |
| 6.3 | 45 | 9.22 |
| 6.3 | 50 | 10.1 |
| 6.3 | 60 | 11.9 |
| 6.3 | 70 | 13.7 |
| 6.3 | 80 | 15.5 |
| 6.3 | 90 | 17.3 |
| 6.3 | 100 | 19.1 |

(W ~ Weights of standard sizes in kilograms per 1000 pieces)